

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(@ad<"19990702" or @rlad<"19990702")and random\$4 near15 (select\$4 or provid\$4 or serv\$4) near10 bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:46
L2	2	(@ad<"19990702" or @rlad<"19990702")and random\$4 same (select\$4 or provid\$4 or serv\$4) near10 bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:47
L3	103563	(@ad<"19990702" or @rlad<"19990702")and random\$4 same (select\$4 or provid\$4 or serv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:47
L4	48632	(@ad<"19990702" or @rlad<"19990702")and random\$4 near10 (select\$4 or provid\$4 or serv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:48
L5	2389	(@ad<"19990702" or @rlad<"19990702")and random\$4 near10 (select\$4 or provid\$4 or serv\$4) near10 display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:48
L6	174	(@ad<"19990702" or @rlad<"19990702")and random\$4 near10 (select\$4 or provid\$4 or serv\$4) near10 display\$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:49
L7	75	(@ad<"19990702" or @rlad<"19990702")and random\$4 near3 (select\$4 or provid\$4 or serv\$4) near10 display\$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:49

EAST Search History

L8	62	(@ad<"19990702" or @rlad<"19990702")and random\$4 near2 (select\$4 or provid\$4 or serv\$4) near10 display\$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:53
L9	0	(@ad<"19990702" or @rlad<"19990702")and storage near2 system near10 random\$4 near2 (select\$4 or provid\$4 or serv\$4) near10 display\$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:50
L10	2	(@ad<"19990702" or @rlad<"19990702")and advantage\$1 near20 random\$4 near2 (select\$4 or provid\$4 or serv\$4) near10 display\$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:51
L11	0	(@ad<"19990702" or @rlad<"19990702")and random\$4 near2 (select\$4 or provid\$4 or serv\$4) near10 match\$3 near3 (result\$1 or hit\$1) near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:54
L12	9	(@ad<"19990702" or @rlad<"19990702")and random\$4 near2 (select\$4 or provid\$4 or serv\$4) near10 match\$3 near3 (result\$1 or hit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:55
L13	11	(@ad<"19990702" or @rlad<"19990702")and random\$4 near5 (select\$4 or provid\$4 or serv\$4) near10 match\$3 near3 (result\$1 or hit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:55
L14	1284	(@ad<"19990702" or @rlad<"19990702")and random\$4 near5 (select\$4 or provid\$4 or serv\$4) near10 (result\$1 or hit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:00

EAST Search History

L15	45	(@ad<"19990702" or @rlad<"19990702")and random\$4 near5 (select\$4 or provid\$4 or serv\$4) near10 (result\$1 or hit\$1) near10 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:56
L16	27	(@ad<"19990702" or @rlad<"19990702")and random\$4 near2(select\$4 or provid\$4 or serv\$4) near10 (result\$1 or hit\$1) near10 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:56
L17	1144	(@ad<"19990702" or @rlad<"19990702")and random\$4 near5 select\$4 near10 (result\$1 or hit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:00
L18	27	(@ad<"19990702" or @rlad<"19990702")and random\$4 near3 select\$4 near10 (result\$1 or hit\$1) near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:02
L19	1018	(@ad<"19990702" or @rlad<"19990702")and random\$4 near3 select\$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:02
L20	688	(@ad<"19990702" or @rlad<"19990702")and random\$4 near select\$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:03
L21	107	(@ad<"19990702" or @rlad<"19990702")and random\$4 near select\$4 near10 (client or user or browser).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04

EAST Search History

L22	0	(@ad<"19990702" or @rlad<"19990702")and search near engine near15 random\$4 near select\$4 near10 (client or user or browser).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04
L23	0	(@ad<"19990702" or @rlad<"19990702")and search near engine near15 random\$4 near select\$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04
L24	2049	(@ad<"19990702" or @rlad<"19990702")and servernear5 random\$4 near select\$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04
L25	14	(@ad<"19990702" or @rlad<"19990702")and server near5 random\$4 near select\$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04
L26	7	(@ad<"19990702" or @rlad<"19990702")and server near5 random\$4 near-select\$4 near10 (client or user or browser). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:06
L27	1	(@ad<"19990702" or @rlad<"19990702")and server near5 random\$4 near select\$4 near10 (result\$1 or hit\$1) near15 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:06
L28	19	(@ad<"19990702" or @rlad<"19990702")and random\$4 near select\$4 near10 (result\$1 or hit\$1) near15 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:08

EAST Search History

L29	3	(@ad<"19990702" or @rlad<"19990702")and search near2 engine and random\$4 near select\$4 near10 (result\$1 or hit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:09
S32	2	"6625268".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:26
S33	7	(@ad<"19990702" or @rlad<"19990702")and request\$4 near10 metadata\$1 near15 (url\$1 or bookmark\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:28
S34	7	(@ad<"19990702" or @rlad<"19990702")and request\$4 near10 metadata\$1 near15 (url\$1 or bookmark\$1) and (location\$1 or geographic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:36
S35	317	(@ad<"19990702" or @rlad<"19990702")and location\$1 near15 bookmark\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:37
S36	318	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) near15 bookmark\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:37
S37	50	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) near15 bookmark\$4 and bookmark\$1 and request\$4 near15 bookmark\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:44

EAST Search History

S38	3	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) near15 bookmark\$4 and bookmark\$1 and request\$4 near15 (descript\$5 or context\$1 or metadata\$1) near10 bookmark\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:55
S39	0	(@ad<"19990702" or @rlad<"19990702")and current near5 (position\$1 or location\$1 or geographic\$4) near15 bookmark\$4 and bookmark\$1 and (descript\$5 or context\$1 or metadata\$1) near10 bookmark\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:56
S40	0	(@ad<"19990702" or @rlad<"19990702")and current near5 (position\$1 or location\$1 or geographic\$4) near15 bookmark\$4 and bookmark\$1 and (attribut\$4 or descript\$5 or context\$1 or metadata\$1) near10 bookmark\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:56
S41	58	(@ad<"19990702" or @rlad<"19990702")and current near5 (position\$1 or location\$1 or geographic\$4) near15 bookmark\$4 and bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:03
S42	9	(@ad<"19990702" or @rlad<"19990702")and updat\$4 near10 bookmark\$4 near15 (position\$1 or location\$1 or geographic\$4) and bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:10
S43	434	(@ad<"19990702" or @rlad<"19990702")and bookmark\$4 near15 (position\$1 or location\$1 or geographic\$4) and bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:10
S44	18	(@ad<"19990702" or @rlad<"19990702")and bookmark\$4 near15 (position\$1 or location\$1 or geographic\$4) and bookmark\$1 and home near2 address\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:15

EAST Search History

S45	309	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) near15 bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:16
S46	371	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) near15 URL\$1 and bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:52
S47	0	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) near15 URL\$1 and bookmark\$1 and storing near10 bookmark\$1 same geographic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 10:46
S48	0	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) near15 URL\$1 and bookmark\$1 and storing near10 URL\$1 same geographic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:54
S49	1	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) near15 attribut\$4 near15 bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 17:56
S50	27	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) and attribut\$4 near15 bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:17
S51	1	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) and attribut\$4 near15 bookmark\$1 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:17

EAST Search History

S52	1	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) and attribut\$4 near15 bookmark\$1 and (wireless or mobile or portalbe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:18
S53	18	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) and bookmark\$1 near2 service\$1 and (wireless or mobile or portalbe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:18
S54	18	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) and bookmark\$1 near2 service\$1 and (wireless or mobile or portalbe) and bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:20
S55	23	(@ad<"19990702" or @rlad<"19990702")and (location\$1 or geographic\$4) and bookmark\$1 near2 (service\$1 or server\$1) and (wireless or mobile or portalbe) and bookmark\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:20